Biocognitive Idiographics

Reciprocal Empirical Investigation of Macro–Micro Bioinformational Fields

Functional Covariance Beyond Mechanistic Reduction

Mario E. Martinez

Biocognitive Monographs Series BM-2026-20 | Archived 2026

Citation

Martinez, M. E. (2026). Biocognitive Idiographics: Reciprocal Empirical Investigation of Macro–Micro Bioinformational Fields. Biocognitive Monographs Series, BM-2026-20. Biocognitive Science Institute. https://www.biocognitiveculture.com/archive-working-papers-pub

Abstract

Biocognitive Idiographics proposes a theoretical and methodological framework for investigating reciprocal relationships between conceptual macro-biocognitive and discrete micro-biological processes without reducing their distinct metrics to a common category of measurement. Grounded in Contextual Coemergence, the framework establishes scientific conversancy through the reciprocal empirical informativeness of operationally identifiable constituents. Operational Stability, Perceptual and Affective Salience, and Salience Consistency provide the conditions for examining macro-biocognitive orientations across contexts and lived duration. Transduction Enhancement and Reciprocal Enhancement establish a conceptual mathematical architecture for investigating bidirectional relationships between these orientations and biological activity. Healthy centenarians provide an illustrative population in which exceptional longevity and sustained health can be investigated through distinctive bioinformational configurations rather than treated solely as statistical deviations from population norms. Preliminary observations involving the Centenarian Consciousness Index (CCI™) and glycan-based biological aging measures

demonstrate the framework's empirical investigability. By preserving the explanatory contributions of distinct measurement systems, Biocognitive Idiographics offers an alternative to categorical convergence and expands idiographic inquiry into the reciprocal organization of processes associated with the causes of health.
Keywords: Biocognitive Idiographics; Contextual Coemergence; scientific conversancy; macro–micro reciprocity; Salience Consistency; Transduction Enhancement; Reciprocal Enhancement; centenarian outliership; biological aging; causes of health.

Introduction: The Scientific Rationale for Biocognitive Idiographics

Scientific advances in molecular biology, neuroscience, and immunology have substantially expanded our understanding of the biological processes associated with health and disease. Psychoneuroimmunology extended this investigation to relationships between behavioral and biological processes. Ader and Cohen (1975) demonstrated behaviorally conditioned immunosuppression, establishing an experimental foundation for investigating functional relationships across psychological and immunological domains. Biocognitive Idiographics advances this approach through the reciprocal empirical investigation of macro-level experiential and micro-level biological organization, seeking reproducible patterns of functional covariance that contribute to the scientific understanding of how health is maintained and expressed.

The methodology is idiographic, emphasizing the organization of processes within individuals across contexts and lived duration. Molenaar (2004) established the methodological importance of distinguishing intraindividual from interindividual variation. Biocognitive Idiographics applies this distinction to the investigation of perceptual and affective orientations, their relative salience, and their relationships with measurable biological configurations. Longitudinal observations permit the identification of individual functional trajectories and the replication of organizational relationships across individuals.

The affective domain comprises four operationally differentiated orientations: Gratitude, Generosity, Admiration, and Curiosity. Gratitude is the graceful acceptance of a gift or compliment without requiring reciprocity; Generosity is giving without expectation of return. Together, they participate in social bonding. Admiration is the appreciation of excellence in oneself or others without envy or self-diminishment; Curiosity is the exploration of possibilities without predetermined outcomes. Together, they participate in exploration. Their relative salience and contextual relationships constitute distinguishable configurations of affective organization.

Empirical research identifies psychoneurobiological processes relevant to these orientations. Algoe and Way (2014) associated gratitude-related social bonding with variation in CD38, a gene involved in oxytocin secretion, while Zak et al. (2007) demonstrated increased generosity following experimental oxytocin administration. Gruber et al. (2014) identified relationships among curiosity, hippocampus-dependent learning, and dopaminergic circuitry. Immordino-Yang et al. (2009) demonstrated differentiated neural responses associated with admiration for virtue and skill. Additional investigations identified neural activity associated with gratitude in the anterior cingulate and medial prefrontal cortices (Fox et al., 2015), subsequent neural responses following gratitude expression (Kini et al., 2016), and differences in neural connectivity and brain–heart coupling during gratitude-related conditions (Kyeong et al., 2017). These findings provide empirical domains for investigating the biological organization associated with social bonding and exploration.

The perceptual domain comprises four orientations: Time, Aging, Health, and Self-Valuation. Time concerns the experience and allocation of lived duration; Aging concerns the meanings and expectations through which growing older is interpreted; Health concerns the perception of health and functional possibilities; and Self-Valuation concerns the allocation of value to self and others.

Perceptual salience contributes to the contextual organization of affective expression, while affective experience reciprocally reorganizes perception. Their relationships provide an investigative basis for identifying how individuals organize meaning and possibilities across lived duration.

Research establishes relevant biological and behavioral associations for these perceptual domains. Experimentally induced time pressure has been associated with increased stress and negative affect and impaired cognitive inhibition (Sussman & Sekuler, 2022). Positive self-perceptions of aging have predicted greater longevity (Levy et al., 2002), while age stereotypes held earlier in life have been associated with subsequent cardiovascular events (Levy et al., 2009). Self-rated health has demonstrated consistent associations with mortality across community studies (Idler & Benyamini, 1997). These findings provide empirical precedents for investigating how temporal experience, aging expectations, and perceived health participate in psychobiological regulation. Within Biocognitive Idiographics, Self-Valuation extends this investigation to Duration Allocation—the distribution of lived duration between self and others—and Value Allocation, expressed through the relative salience and ranking of perceptual and affective orientations.

The Centenarian Consciousness Index (CCI™), developed by Martinez (2026a), is a 60-item psychometric assessment derived from ethnographic investigations of healthy centenarians across cultural contexts. It assesses eight biocognitive orientations: four perceptual factors (Time, Aging, Health, and Self-Valuation) and four affective factors (Gratitude, Generosity, Admiration, and Curiosity). The instrument provides individualized profiles of their relative salience and organization. Within Biocognitive Idiographics, repeated CCI assessments permit investigation of changes in Duration Allocation, Value Allocation, social bonding, and exploration. Integration

with longitudinal biological measurements provides an operational basis for examining covariance between experiential and biological configurations.

A bioinformational field is a contextually organized configuration in which constituent functional horizons coemerge to express collective affordances. At the macro level, perceptual and affective orientations participate in the organization of experiential possibilities. At the micro level, neural, autonomic, neuroendocrine, immunological, and molecular processes participate in biological organization. The methodology investigates covariance between these configurations through their measurable variation across contexts and repeated observations. Constituent-level associations, such as those between gratitude and neural activity, provide empirical entry points for examining relationships among organized fields.

The distinction between time and duration further specifies the investigative architecture: time measures; duration is lived. Experiential meaning and biological measurement provide complementary empirical access to the organization of health. Phenomenological irreducibility does not imply empirical irrelevance. Operational differentiation of experiential orientations guides biological investigation, while biological findings inform the further differentiation of experiential configurations. This reciprocal process permits progressive empirical refinement across levels of organization.

Molecular indicators of biological aging extend the investigation to longitudinal biological configurations. Krištić et al. (2014) identified IgG glycosylation patterns associated with chronological and biological age, providing measurable molecular variables for examining relationships with changing CCI configurations. Biocognitive Idiographics thus establishes a methodology for investigating the contextual organization of health through reproducible covariance between macro-level experiential and micro-level biological fields. Its applications

extend across health, adaptation, and exceptional longevity, with the individual serving as the primary unit of empirical investigation.

Epistemological Foundations of Biocognitive Idiographics

Biocognitive Idiographics adopts a relational epistemology in which constituent functional horizons acquire significance through their contextual participation in collective organization. At the macro level, perceptual and affective orientations contribute to identifiable configurations of lived experience; at the micro level, biological processes participate in organized physiological activity. Their functional relationships provide the basis for reciprocal empirical investigation.

Second-order epistemics investigates how contextual conditions inform the functional significance and sustained salience of experiential and biological configurations. At the macro level, it examines how perceptual and affective orientations acquire salience across lived duration. At the micro level, it examines the regulatory conditions informing biological organization. The empirical objective is to identify how these informing conditions participate in reproducible macro–micro covariance.

Recursive inquiry extends this investigation to the conditions informing those conditions. At the macro level, culturally acquired meanings and perceptual orientations may contribute to sustained affective salience. At the micro level, regulatory history and ongoing physiological conditions participate in biological organization. Successive investigative orders identify increasingly differentiated contextual relationships relevant to longitudinal covariance.

Contextual coemergence concerns how constituent functional horizons participate in the co-authorship of collective affordances. Gratitude and generosity provide a biocognitive example. Gratitude concerns the graceful acceptance of a gift without requiring reciprocity; generosity concerns giving without expectation of return. As distinguishable functional horizons, their

contextual coemergence contributes to a collective affordance for social bonding. Their sustained salience provides an identifiable macro-level configuration for investigating covariance with longitudinal biological organization.

Reciprocal empirical investigation operationalizes these relationships through repeated observations. The CCI™ identifies the relative salience and organization of perceptual and affective orientations, while corresponding biological measurements characterize physiological configurations. Longitudinal analysis examines whether changes in these organized fields exhibit reproducible functional covariance, with findings at each level informing further investigation of the other.

Biocognitive Idiographics thus establishes an epistemological framework for investigating how contextual conditions inform sustained functional orientations and their relationships with biological organization. The next segment develops the architecture of bioinformational fields, constituent horizons, and collective affordances.

Bioinformational Fields: Constituent Horizons, Contextual Coemergence, and Collective Affordances

A bioinformational field characterizes how biological organization responds to contextual signals across molecular, physiological, perceptual, and cognitive levels through reciprocal coemergence. Rather than following an ascending hierarchy of causality from molecular processes to cognition, the field comprises distinguishable constituents whose functional horizons participate in the contextual organization of collective affordances. A constituent is an identifiable component of biological or experiential organization, while its functional horizon encompasses the possibilities available through relationships with other constituents (Martinez, 2026b).

The operational identification of a bioinformational field begins by distinguishing the variability of contextual signals from the ontic consistency of the functional terrain through which they

acquire significance. Ontic consistency refers to the identifiable continuity of functional organization across changing contextual conditions, without requiring identical biological or experiential responses. Biocognitive Idiographics investigates this continuity longitudinally, while operational specificity and measurement precision provide the means for distinguishing its expression within the individual.

At the macro level, the Centenarian Consciousness Index (CCI™) identifies eight perceptual and affective orientations that provide distinguishable constituents for examining experiential organization. Their relative salience, frequency, and contextual consistency characterize the individual's prevailing functional terrain. The four perceptual orientations—Time, Aging, Health, and Self-Valuation—and four affective orientations—Gratitude, Generosity, Admiration, and Curiosity—provide an operational framework for investigating experiential configurations with increasing specificity and precision (Martinez, 2026a).

The usual suspects of wellness—exercise, nutrition, sleep, and stress management—remain necessary but are insufficient for the operational differentiation required to investigate macro–micro bioinformational covariance. Exercise, for example, encompasses activities with different physiological demands, making a general behavioral category inadequate for identifying a consistent functional process. Biocognitive Idiographics focuses instead on orientations whose defining characteristics remain distinguishable across circumstances. Within the CCI™, Gratitude involves gracefully accepting a gift, compliment, or assistance without obligatory reciprocity. Although these contextual signals differ, the functional orientation remains identifiable, permitting investigation of its salience throughout lived duration.

The biological significance of gratitude can be investigated through neurobiological processes associated with social bonding and reward valuation. Algoe and Way (2014) identified an

association between variation in the oxytocin-related CD38 system and the social-bonding effects of expressed gratitude. Karns et al. (2017) found relationships between gratitude and neural valuation of benefits to others, including changes in ventromedial prefrontal cortex responses following gratitude practice. Bartz et al. (2011) further demonstrated the importance of contextual and individual differences when interpreting oxytocin's social effects. These findings provide convergent biological evidence relevant to gratitude, although the studies did not directly operationalize the CCI™ definition or establish its longitudinal physiological covariance. Biocognitive Idiographics extends this foundation by investigating whether gratitude, maintained as a salient orientation across lived duration, covaries with characteristic neurobiological organization.

At the micro level, biological organization can be investigated through measurable indicators of autonomic regulation, neuroendocrine activity, inflammatory processes, and immunoglobulin G glycosylation. These measurements permit identification of coordinated physiological trends within the individual. Their significance is informed by relationships among biological constituents and the conditions in which they operate, allowing longitudinal differentiation of characteristic configurations from responses associated with particular contextual signals.

Biocognitive Idiographics reduces dependence on potentially misleading interindividual aggregation by investigating longitudinal relationships within the subject rather than assuming that population-level associations describe individual dynamics. Molenaar (2004) established the methodological importance of distinguishing between-person statistical relationships from within-person processes, demonstrating that their equivalence requires restrictive conditions. Consistently operationalized experiential orientations and longitudinal biological measurements provide a

foundation for investigating these relationships within the individual without assuming that idiographic measurement automatically eliminates every form of statistical aggregation bias.

The reciprocal relationship between macro- and micro-level bioinformational fields is represented through the functional covariance formulation $Cov(B_m, B\mu)$, where B_m denotes the experiential field of perceptual and affective orientations and $B\mu$ denotes the biological field of physiological and molecular processes.

Within Biocognitive Idiographics, this notation designates functional covariance as an operational and epistemic relationship, not a statistical covariance equation. It characterizes correspondence between organized field configurations across lived duration without reducing their complexity to correlations among isolated constituents. Empirical investigation can subsequently differentiate these relationships through longitudinal measurements without presupposing that covariance establishes reciprocal causation.

Biocognitive Idiographics consequently reframes the mindbody paradox as an investigation of reciprocal functional organization rather than a search for a causal bridge between presumed independent experiential and biological domains. The identification of ontic consistency across changing contextual signals provides the foundation for examining how distinguishable functional terrains participate in contextual coemergence. The resulting epistemological framework approaches the individual as an integrated biological organization whose experiential and physiological expressions can be differentiated empirically without being separated conceptually.

Having established the operational identification of bioinformational fields, the next investigation examines how relationships among their constituents recontextualize information and inform the collective organization of experiential and physiological affordances.

The Ecology of Bioinformational Fields: Duration Allocation and Physiological Stress Organization

Biocognitive Idiographics investigates the reciprocal relationships among constituents of macro- and micro-level bioinformational fields. The individual is approached as a bioinformational ecology in which perceptual, affective, physiological, and molecular constituents acquire functional significance through their contextual relationships. Longitudinal investigation examines how these relationships maintain recognizable organization, vary across conditions, and participate in the recontextualization of information.

Duration is lived time; time provides its measure. Individuals allocate duration according to culturally learned perceptual orientations that influence which possibilities they recognize and afford. The Time factor of the Centenarian Consciousness Index (CCI™) examines this characteristic orientation toward lived duration. Cultural propositions such as *time is limited*, *time is valuable*, and *time heals* may become established perceptual biases through which contextual demands acquire meaning.

Constricted Duration Allocation may orient experience toward an urgent present, where possibilities appear as competing demands and duration is experienced as insufficient even without immediate external pressure. Expansive Duration Allocation affords a broader horizon of possibilities without requiring additional chronological time or reduced activity. These orientations concern the experiential organization of duration rather than the quantity of measured time available.

Physiological stress provides an initial micro-level field for examining covariance with these orientations. Kalisch et al. (2024) reviewed the neurobiology and systems biology of stress resilience, while Barthel et al. (2025) identified differing patterns of habituation among physiological systems following repeated psychosocial stress. Their findings support investigating

stress through interacting neural, neuroendocrine, autonomic, and immune processes rather than isolated indicators.

Research on temporal perspectives provides relevant convergent evidence, although these studies do not directly operationalize the CCI™ construct of Duration Allocation. Olivera-Figueroa et al. (2015) identified associations between temporal-perspective profiles and cortisol output. Bourdon et al. (2020) examined temporal perspectives in relation to allostatic load across 23 biomarkers, finding positive associations with present-fatalistic orientation and negative associations with future orientation. These findings support investigating relationships between temporal perception and multisystemic physiological regulation without establishing causal direction or directly validating the CCI™ construct.

Biocognitive Idiographics extends this investigation longitudinally by examining how characteristic Duration Allocation covaries with physiological stress organization. A sustained orientation toward temporal scarcity may correspond with identifiable autonomic, neuroendocrine, and inflammatory patterns. Conversely, variations in physiological regulation may participate in recontextualizing the possibilities perceived as available. Repeated observations permit investigation of persistent functional relationships and their contextual variations without assuming causal primacy for either field.

Duration Allocation, Self-Valuation, and the Ecology of Affordances

Duration Allocation acquires greater functional specificity when examined in relation to Self-Valuation. Within the CCI™, Self-Valuation does not measure self-esteem or self-worth. It identifies the value referent that organizes the relative relevance, importance, and priority assigned to self and others. Duration serves as the experiential currency through which these priorities are

afforded, while chronological time provides its measure. The value referent informs the distribution of lived duration according to contextual conditions.

Consider two individuals with equally high self-worth and comparable constricted Duration Allocation configurations. One assigns greater priority to personal needs, while the other consistently prioritizes the needs of others. Their temporal orientations may appear equivalent when examined independently, yet their value referents organize different distributions of duration. Greater priority assigned to others does not necessarily indicate diminished self-esteem; it may reflect a different organization of value allocation.

Introducing Generosity further differentiates these configurations. Two individuals may devote comparable duration to others, yet one gives freely, without requiring reciprocity, while the other acts from obligation or anticipated indebtedness. Their observable allocations may be similar, but their functional meanings differ. The operational distinction concerns whether reciprocity is required as a condition of giving or receiving, rather than whether reciprocity subsequently occurs.

These examples demonstrate how constituent relationships recontextualize information. Duration Allocation identifies a characteristic orientation toward lived duration, while Self-Valuation informs the priorities through which that duration is distributed. Generosity further differentiates the contextual meaning of giving. The information contributed by each constituent acquires functional significance through its relationships with the others, revealing distinctions that isolated measurements may not identify.

The implications extend across the eight-factor CCI™ ecology. Constricted duration combined with persistent self-deprioritization may, under certain conditions, limit opportunities for personal health-related activity or exploration. Under other conditions, prioritizing others may expand opportunities for gratitude, generosity, admiration, and meaningful social engagement. The

consequences depend on the collective organization of the constituents and the contextual affordances available, rather than on a predetermined effect of any individual orientation.

Comparable Duration Allocation profiles may therefore exhibit different physiological covariance according to their Self-Valuation, Generosity, and other constituent configurations. Progressively incorporating these relationships permits increasingly differentiated investigation of the experiential field and its correspondence with autonomic, neuroendocrine, inflammatory, and metabolic processes.

Constituent Relationships and Co-emergent Wholeness

Co-emergent wholeness refers to the collective bioinformational organization through which constituent relationships reciprocally recontextualize information. Each constituent contributes distinguishable information, while its functional significance depends on its relationships within the organized field. The resulting wholeness expresses collective properties that cannot be adequately characterized through independent constituent measurements.



Figure 1. Macro–Micro Functional Configurations and Reciprocal Informativeness. Constituent horizons participate in co-emergent functional organization within experiential (macro) and biological (micro) bioinformational fields. Their contextual relationships recontextualize information and inform

collective functional affordances. Reciprocal informativeness denotes correspondence between the organized fields without presupposing causal direction or treating their collective organization as an independent causal entity.

Duration Allocation, Self-Valuation, and Generosity illustrate this process. Each identifies a particular orientation, but their relationships inform how lived duration, value priorities, and giving acquire contextual meaning. Their collective organization may consequently afford responses different from those anticipated by examining any constituent independently.

Co-emergent wholeness is neither an aggregation of constituent scores nor an independent entity acting upon them. It describes the ongoing collective organization through which constituents acquire and recontextualize functional significance. This organization may maintain recognizable consistency while its constituent relationships vary across lived duration.

The micro-level field exhibits comparable ecological organization. Leunig et al. (2025) examined bidirectional communication between nervous and immune systems, describing integrated biological networks that coordinate responses to internal and external conditions. These findings support investigating physiological regulation through constituent relationships rather than treating individual biological indicators as independent expressions of the organism.

Biocognitive Idiographics consequently examines covariance between two organized bioinformational fields. Variations among experiential constituents may correspond with physiological reorientation, while changes in biological regulation may participate in recontextualizing perceptual and affective possibilities. The investigation concerns how collective bioinformational organization acquires functional significance within each field and how these organizations covary across changing conditions.

Idiographic Differentiation and Scientific Productivity

Population-level associations establish empirical relationships across individuals, while idiographic investigation examines how those relationships are organized within a particular

individual. Fisher, Medaglia, and Jeronimus (2018) demonstrated substantial differences between aggregated and within-person patterns, establishing the methodological importance of intensive longitudinal measurement.

The ecological approach extends this distinction by examining how constituent relationships recontextualize information. Equivalent Duration Allocation configurations may coexist with different value referents, generosity orientations, and collective bioinformational organizations. These differences may correspond with distinguishable physiological patterns even when particular constituent scores remain comparable.

This distinction establishes a specific empirical proposition: individuals with comparable Duration Allocation measurements but different Self-Valuation and Generosity configurations may exhibit distinguishable longitudinal physiological patterns. Repeated intraindividual observations permit investigation of whether changes in these constituent relationships covary with changes in autonomic, neuroendocrine, inflammatory, and metabolic organization.

The scientific productivity of Biocognitive Idiographics lies in identifying these contextual relationships longitudinally, from individual constituents to their co-emergent wholeness. Nomothetic findings provide an empirical foundation, while idiographic investigation differentiates how information acquires functional significance within the individual. The covariance of macro- and micro-level bioinformational fields offers an empirical approach to investigating contextual coemergence without reducing their reciprocal organization to isolated constituents or assuming causal direction from covariance alone.

Operational Differentiation of Macro–Micro Covariance: Functional Differentiation of Perceptual and Affective Orientations

The eight factors of the Centenarian Consciousness Index (CCI™) are further differentiated according to their functional orientations. Within the affective factors, Gratitude and Generosity

reflect **Social Bonding**, while Admiration and Curiosity orient toward **Exploration**. Within the perceptual factors, Time and Aging constitute **Existential Temporality**, distinguishing the perceptual lived duration learned from the culturally established orientation toward aging as a process of existence. Self-Valuation and Health constitute **Individuation**.

These four functional groupings provide greater specificity in identifying the orientations represented by the eight factors.



Figure 2. Functional Organization of the CCI™. The eight perceptual and affective factors are differentiated into four functional groupings: Existential Temporality (Time and Aging), Individuation (Self-Valuation and Health), Social Bonding (Gratitude and Generosity), and Exploration (Admiration and Curiosity).

Our human existence unfolds within time and space, and the duration of that existence involves the process of growing older. **Existential Temporality** addresses these fundamental conditions of living: the duration available to us and the aging process through which that duration is enacted. Within these conditions, **Individuation** concerns how we differentiate ourselves from others and

how we value ourselves in relation to our perceived health and our unique identity. **Social Bonding** reflects our capacity to connect with others through gratitude and generosity, while **Exploration** extends our engagement beyond those connections through admiration and curiosity, opening possibilities for discovering and experiencing what lies beyond the familiar.

Their relationships become particularly informative when an orientation acquires significance beyond the grouping in which it is initially identified. Curiosity, for example, may expand the possibilities recognized within a temporal horizon, while the individual's value referent may inform whether those possibilities receive attention and lived duration. The relevant observation is not simply the presence of curiosity, but how its relationship with temporal and value orientations informs the possibilities that become actionable. This functional relationship is proposed for investigation within the framework of biocognitive idiographics.

The groupings therefore serve as functional distinctions within a single experiential ecology rather than independent psychological systems. Their empirical contribution is to make selected constituent relationships available for more precise investigation without assuming that the proposed organization exhausts the possibilities through which experience acquires meaning.

From Functional Distinctions to Idiographic Observation

Operational differentiation requires identifying what can be observed when the relationships among functional groupings are examined within an individual. A CCI™ assessment provides information about the individual's expressed orientations at a particular observation. Repeated assessments permit examination of how those orientations vary across lived duration. The idiographic question concerns whether these variations are informative when interpreted in relation to the individual's contextual conditions and other constituent orientations.

An important distinction emerges between variation in an individual measurement and variation in its contextual significance. An orientation may remain relatively consistent while the conditions through which it is expressed change. Conversely, a change in an orientation's measurement may occur without establishing that the broader experiential organization has undergone an equivalent change. The investigator must therefore distinguish the observed measurement from the functional interpretation proposed for it.

The four groupings provide a way to make that distinction more specific. Rather than interpreting a change in Curiosity independently, the investigator may examine its relationship with Admiration, the temporal possibilities recognized through Existential Temporality, and the priorities expressed through Individuation. The empirical question becomes whether these relationships provide information that the isolated orientation does not. This is a testable question, not an assumption that a larger number of constituent measurements necessarily yields greater explanatory value.

Contextual observation is essential because functional significance cannot be inferred solely from the numerical correspondence of measurements. The same expressed orientation may participate in different circumstances, relationships, and opportunities for action. Biocognitive Idiographics consequently requires the interpretation of longitudinal observations in relation to the individual's lived context, preserving the distinction between what has been measured and what the measurements may inform about experiential organization.

This differentiation establishes the macro-level information available for reciprocal empirical investigation. The objective is to identify which constituent relationships remain informative within an individual's changing experiential conditions, and whether those relationships permit more specific investigation of biological covariance.

Reciprocal Empirical Investigation of Macro–Micro Covariance

The next operational step is to examine the differentiated experiential relationships alongside selected biological configurations. The biological measurements are chosen according to the empirical question rather than assigned in advance to the four experiential groupings. The investigation does not presume that Existential Temporality, Individuation, Social Bonding, or Exploration corresponds to a discrete physiological system.

At the initial observational level, an experiential orientation and a biological measurement may exhibit covariance. Such a finding identifies an empirical relationship but does not establish its contextual significance. Further differentiation examines whether that relationship changes when other experiential orientations, biological constituents, or relevant contextual conditions are considered. The purpose of incorporating additional constituents is to resolve a specific empirical question, not to increase complexity without corresponding informational value.

Repeated observations permit examination of these relationships within the individual's own bioinformational organization. This distinction is methodologically important because associations established across individuals do not necessarily reproduce the relationships observed within an individual across time. The limitations of generalizing interindividual relationships to intraindividual processes have been demonstrated in idiographic methodological research (Molenaar, 2004; Fisher et al., 2018). The biocognitive contribution is to investigate not only the distinction between these levels of analysis, but the contextual relationships through which macro- and micro-level information becomes mutually informative.

Reciprocal informativeness becomes empirically consequential when observations in one field permit a more differentiated investigation of relationships in the other. An observed change in biological configuration may warrant closer examination of experiential relationships not

adequately distinguished in an initial assessment. Conversely, a differentiated experiential configuration may inform the selection of biological relationships for subsequent observation. These are directions for empirical inquiry rather than evidence that either field has already been shown to determine the other.

The investigation consequently proceeds through progressive differentiation. An initial covariance identifies a relationship requiring examination; contextual information clarifies the conditions under which it appears; additional constituent relationships are introduced when they permit competing interpretations to be distinguished. The resulting empirical organization remains open to revision as further observations become available.

The scientific objective is not to establish a universal correspondence between psychological categories and biological mechanisms. It is to determine whether the contextual organization of selected experiential constituents provides reproducible information about biological configurations within an individual, and whether biological observations reciprocally refine the investigation of experiential organization. This establishes the transition to the next segment, where the selection and interpretation of particular biological configurations become the primary focus.

Biocognitive Idiographics and the Investigation of Exceptional Longevity

In the study of human outliership through Biocognitive Idiographics, healthy centenarians are identified as an especially appropriate population for investigating successful longevity. By definition, centenarians are statistical outliers in chronological longevity, while those maintaining exceptional health provide an opportunity to investigate the individual and cultural conditions associated with successful aging. Although nomothetic methods identify population-level

regularities, they are insufficient on their own to explain the distinctive configurations through which centenarians attain and sustain exceptional longevity.

Our ethnographic investigations of healthy centenarians, followed by extensive ethnographic content analysis, identified eight perceptual and affective orientations subsequently operationalized in the Centenarian Consciousness Index (CCI™). These observations provide the empirical foundation for investigating exceptional longevity through Biocognitive Idiographics.

Operational Stability establishes the consistent identity of these eight constituents across individuals and cultural environments. For example, Gratitude is operationally defined as the graceful acceptance and appreciation of a gift or benefit received, without requiring reciprocity. This definition remains stable across cultural contexts, although its expression may vary. **Perceptual and Affective Salience** identifies the magnitude of each of the eight operationally defined orientations, expressed as a percentage on the CCI™. **Salience Consistency** describes the sustained prominence of an orientation across cultural and interpersonal contexts and successive observations, integrating contextual consistency with temporal endurance. **Transduction Enhancement** captures the process through which perceptual and affective orientations, upon achieving salience consistency, strengthen the functional relationship between macro-biocognitive information and micro-biological activity.

For example, our preliminary studies of centenarians indicate that Gratitude and Generosity consistently emerge among the most prominent orientations measured by the CCI™. These patterns of salience appear to be associated with differences in Glycan Youth and Glycan Age indexes, particularly in glycan profiles related to galactosylation. These observations provide an initial empirical basis for investigating functional covariance between macro-biocognitive orientations and micro-immunological activity.

This approach differs from seeking universally effective interventions. Exercise, diet, and meditation produce biological responses that vary across individuals, even when their protocols are standardized. Biocognitive Idiographics begins instead with identifiable perceptual and affective constituents, investigating how their salience, consistency, and organization contribute to biological processes within each individual's bioinformational field.

Conceptual Mathematical Formulation of Reciprocal Change

Rather than attempting to converge discrete micro-biological and conceptual macro-biocognitive metrics, Biocognitive Idiographics establishes a mathematical conceptualization of reciprocal macro–micro change:

$$\Delta B\mu = \alpha Sc$$

$$\Delta Sc = \beta B\mu$$

Here, Bμ represents micro-biological activity, Sc represents the Salience Consistency of an operationally stable macro-biocognitive constituent, and Δ denotes change between successive observations. The coefficient α represents **Transduction Enhancement**, through which consistent macro-biocognitive salience contributes to changes in micro-biological activity. The coefficient β represents **Reciprocal Enhancement**, through which micro-biological activity contributes to changes in the salience consistency of the macro-biocognitive constituent. Together, these coefficients establish the mathematical architecture for investigating reciprocal change within Biocognitive Idiographics, consistent with the principle of Contextual Coemergence.

The two equations express complementary directions of reciprocal change rather than equivalence between the metrics. Their application involves examining successive observations of macro-biocognitive Salience Consistency and micro-biological activity, identifying the relationships through which changes in one field inform subsequent changes in the other. Within this

architecture, α and β characterize the respective contributions of Transduction Enhancement and Reciprocal Enhancement across lived duration.

Admiration, one of the four affective factors, provides an illustrative application. Operationally defined as the appreciation of excellence in oneself or others without envy or self-diminishment, Admiration maintains its conceptual identity across contexts. When its expression achieves Salience Consistency (temporal endurance), it provides the macro-biocognitive conditions for Transduction Enhancement (facilitation of biological signaling) involving dopaminergic signaling associated with reward-based learning. Dopaminergic signaling contributes to reinforcement learning through reward prediction errors, reflecting differences between expected and experienced outcomes. Through Reciprocal Enhancement, dopamine-mediated learning contributes to the subsequent frequency and magnitude of Admiration, establishing a functional relationship between sustained affective orientation and biological reinforcement.

This reciprocal organization expresses **Contextual Coemergence**. Macro-biocognitive orientations contribute to the biological conditions that, in turn, inform their subsequent expression. Neither field operates as an isolated causal system; each participates in the evolving organization of the other. The central investigative unit is therefore not an isolated psychological score or biochemical measurement, but the reciprocal change occurring between identifiable constituents across lived duration: a language to facilitate the conversancy between discrete and conceptual metrics.

Methodological Correspondence with Glycomics

Research on immunoglobulin G glycosylation provides a methodological parallel. Krištić and Lauc (2024), drawing on research involving more than 100,000 individuals, demonstrate the biological significance of differentiated glycan structures and interindividual variability. Rapčan

et al. (2024) further examine analytical precision and longitudinal variability in glycan measurements. These investigations establish the value of identifiable biological constituents whose changing configurations can be examined across individuals and successive observations.

Biocognitive Idiographics extends this investigative principle to the macro-biocognitive level. The eight perceptual and affective constituents of the CCI™ maintain their operational definitions across individuals and cultural contexts, while their measured salience and temporal consistency may vary. This distinction makes it possible to investigate changes in each constituent without changing its conceptual identity.

The mathematical formulation provides a common investigative language for examining how these macro-biocognitive changes relate to changes in discrete micro-biological measurements. **Transduction Enhancement** describes the contribution of sustained macro-biocognitive salience to changes in biological activity, while **Reciprocal Enhancement** describes how biological activity contributes to subsequent changes in macro-biocognitive Salience Consistency. Together, these relationships establish a framework for investigating reciprocal change between two distinct levels of organization without requiring their metrics to be equivalent.

Methodologically, repeated CCI™ assessments establish the magnitude and temporal consistency of identifiable perceptual and affective orientations, while corresponding biological assessments document changes in independently measured micro-biological constituents. Examining these observations across successive intervals provides the empirical basis for investigating the reciprocal relationships represented by α and β. The resulting analysis preserves the operational identity of each measurement system while examining how changes in one field contribute to the subsequent organization of the other.

The objective is functional approximation across levels of organization, not biochemical imitation. By examining reciprocal changes in operationally identifiable constituents, Biocognitive Idiographics establishes a methodology for investigating the distinctive bioinformational configurations of longevity outliers and the processes through which their macro-biocognitive and micro-biological fields coemerge.

Conclusion

Biocognitive Idiographics proposes an investigative framework that bridges conceptual macro-biocognitive and discrete micro-biological metrics without requiring their convergence. Treating these distinct categories of measurement as interchangeable constitutes a categorical error. Their differences are not deficiencies to be eliminated but operational distinctions to be preserved. Grounded in the principle of Contextual Coemergence, Biocognitive Idiographics establishes the methodological conditions for scientific conversancy, allowing each level of investigation to retain its explanatory identity while contributing to the empirical refinement of the other.

This approach challenges the conventional and often dismissive distinction between so-called hard and soft sciences. Scientific rigor does not require conceptual metrics to imitate biochemical measurements. It requires operational clarity, identifiable constituents, and empirically investigable relationships. Transduction Enhancement and Reciprocal Enhancement provide a mathematical language for examining how distinct forms of evidence become reciprocally informative across lived duration.

The significance of this framework is particularly evident in the investigation of healthy centenarians. Their exceptional longevity, accompanied by sustained health, offers knowledge that population-based investigations may overlook when individual differences are absorbed into statistical regularities or dismissed as nuisance variables. Biocognitive Idiographics recognizes

outliership as an opportunity to investigate distinctive bioinformational configurations and the conditions associated with the maintenance of health.

The contribution of Biocognitive Idiographics is therefore not another idiographic account of individual variation, but a methodology for investigating reciprocal relationships across distinct levels of organization. By replacing categorical convergence with empirical conversancy, it expands the scientific investigation of the causes of health while preserving the **essential contributions** of both macro-biocognitive and micro-biological knowledge.

References

Ader, R., & Cohen, N. (1975). Behaviorally conditioned immunosuppression. *Psychosomatic Medicine, 37*(4), 333–340. https://doi.org/10.1097/00006842-197507000-00007

Algoe, S. B., & Way, B. M. (2014). Evidence for a role of the oxytocin system, indexed by genetic variation in CD38, in the social bonding effects of expressed gratitude. *Social Cognitive and Affective Neuroscience, 9*(12), 1855–1861. https://doi.org/10.1093/scan/nst182

Barthel, M.-C., Fricke, K., Muehlhan, M., Vogel, S., & Alexander, N. (2025). Habituation of the biological response to repeated psychosocial stress: A systematic review and meta-analysis. *Neuroscience & Biobehavioral Reviews, 169*, 105996. https://doi.org/10.1016/j.neubiorev.2024.105996

Bartz, J. A., Zaki, J., Bolger, N., & Ochsner, K. N. (2011). Social effects of oxytocin in humans: Context and person matter. *Trends in Cognitive Sciences, 15*(7), 301–309. https://doi.org/10.1016/j.tics.2011.05.002

Bourdon, O., Raymond, C., Marin, M.-F., Olivera-Figueroa, L., Lupien, S. J., & Juster, R.-P. (2020). A time to be chronically stressed? Maladaptive time perspectives are associated with

allostatic load. *Biological Psychology, 152*, 107871. https://doi.org/10.1016/j.biopsycho.2020.107871

Fisher, A. J., Medaglia, J. D., & Jeronimus, B. F. (2018). Lack of group-to-individual generalizability is a threat to human subjects research. *Proceedings of the National Academy of Sciences, 115*(27), E6106–E6115. https://doi.org/10.1073/pnas.1711978115

Fox, G. R., Kaplan, J., Damasio, H., & Damasio, A. (2015). Neural correlates of gratitude. *Frontiers in Psychology, 6*, Article 1491. https://doi.org/10.3389/fpsyg.2015.01491

Gruber, M. J., Gelman, B. D., & Ranganath, C. (2014). States of curiosity modulate hippocampus-dependent learning via the dopaminergic circuit. *Neuron, 84*(2), 486–496. https://doi.org/10.1016/j.neuron.2014.08.060

Hamaker, E. L. (2012). Why researchers should think "within-person": A paradigmatic rationale. In M. R. Mehl & T. S. Conner (Eds.), *Handbook of research methods for studying daily life* (pp. 43–61). Guilford Press.

Idler, E. L., & Benyamini, Y. (1997). Self-rated health and mortality: A review of twenty-seven community studies. *Journal of Health and Social Behavior, 38*(1), 21–37. https://doi.org/10.2307/2955359

Immordino-Yang, M. H., McColl, A., Damasio, H., & Damasio, A. (2009). Neural correlates of admiration and compassion. *Proceedings of the National Academy of Sciences, 106*(19), 8021–8026. https://doi.org/10.1073/pnas.0810363106

Kalisch, R., Russo, S. J., & Müller, M. B. (2024). Neurobiology and systems biology of stress resilience. *Physiological Reviews, 104*(3), 1205–1263. https://doi.org/10.1152/physrev.00042.2023

Karns, C. M., Moore, W. E., III, & Mayr, U. (2017). The cultivation of pure altruism via gratitude: A functional MRI study of change with gratitude practice. *Frontiers in Human Neuroscience, 11*, 599. https://doi.org/10.3389/fnhum.2017.00599

Kini, P., Wong, J., McInnis, S., Gabana, N., & Brown, J. W. (2016). The effects of gratitude expression on neural activity. *NeuroImage, 128*, 1–10. https://doi.org/10.1016/j.neuroimage.2015.12.040

Krištić, J., et al. (2014). Glycans are a novel biomarker of chronological and biological ages. *The Journals of Gerontology: Series A, 69*(7), 779–789. https://doi.org/10.1093/gerona/glt190

Krištić, J., & Lauc, G. (2024). The importance of IgG glycosylation—What did we learn after analyzing over 100,000 individuals. *Immunological Reviews, 328*(1), 143–170. https://doi.org/10.1111/imr.13407

Kyeong, S., Kim, J., Kim, D. J., Kim, H. E., & Kim, J.-J. (2017). Effects of gratitude meditation on neural network functional connectivity and brain-heart coupling. *Scientific Reports, 7*, Article 5058. https://doi.org/10.1038/s41598-017-05520-9

Leunig, A., Gianeselli, M., Russo, S. J., & Swirski, F. K. (2025). Connection and communication between the nervous and immune systems. *Nature Reviews Immunology, 25*, 912–933. https://doi.org/10.1038/s41577-025-01199-6

Levy, B. R., Slade, M. D., Kunkel, S. R., & Kasl, S. V. (2002). Longevity increased by positive self-perceptions of aging. *Journal of Personality and Social Psychology, 83*(2), 261–270. https://doi.org/10.1037/0022-3514.83.2.261

Levy, B. R., Zonderman, A. B., Slade, M. D., & Ferrucci, L. (2009). Age stereotypes held earlier in life predict cardiovascular events in later life. *Psychological Science, 20*(3), 296–298. https://doi.org/10.1111/j.1467-9280.2009.02298.x

Martinez, M. E. (2026a). *A Conceptual Framework Linking Meaning-Making, Temporal Experience, and Biological Aging*. Biocognitive Monographs Series, BM-2026-09. Biocognitive Science Institute. https://www.biocognitiveculture.com/working-papers-archive

Martinez, M. E. (2026b). *Idiographic Longevity: The Individual as a Bioinformational Field*. Biocognitive Monographs Series, BM-2026-19. Biocognitive Science Institute. https://www.biocognitiveculture.com/archive-working-papers-pub

Molenaar, P. C. M. (2004). A manifesto on psychology as idiographic science: Bringing the person back into scientific psychology, this time forever. *Measurement: Interdisciplinary Research and Perspectives, 2*(4), 201–218. https://doi.org/10.1207/s15366359mea0204_1

Olivera-Figueroa, L. A., Juster, R.-P., Morin-Major, J. K., Marin, M.-F., & Lupien, S. J. (2015). A time to be stressed? Time perspectives and cortisol dynamics among healthy adults. *Biological Psychology, 111*, 90–99. https://doi.org/10.1016/j.biopsycho.2015.09.002

Rapčan, B., Song, M., Frkatović-Hodžić, A., Pribić, T., Vuk, J., Beletić, A., Hanić, M., Jurić, J., Tominac, P., Milas, J., Ivić, V., Viland, S., Bonet, S., Šego, B., Heffer, M., Wang, W., Snyder, M. P., & Lauc, G. (2024). Glycan clock of ageing—Analytical precision and time-dependent inter- and i-individual variability. *GeroScience, 46*(6), 5781–5796. https://doi.org/10.1007/s11357-024-01239-4

Sussman, R. F., & Sekuler, R. (2022). Feeling rushed? Perceived time pressure impacts executive function and stress. *Acta Psychologica, 229*, Article 103702. https://doi.org/10.1016/j.actpsy.2022.103702

Zak, P. J., Stanton, A. A., & Ahmadi, S. (2007). Oxytocin increases generosity in humans. *PLOS ONE, 2*(11), e1128. https://doi.org/10.1371/journal.pone.0001128